



DANLUBE A/S

"Så ved du det holder"

WEICON Marine Emergency Repair Kits



www.weicon.com



You can find further packing sizes and detailed information on WEICON products at www.weicon.de



For emergency repairs and maintenance works on board of ships, we developed three different Repair Kits. WEICON Emergency Repair Kits are equipped with many different products that support you in various cases. The Kits cover most cases of offshore emergency repairs and maintenance works during long ways. The Repair Kits differ in the range of included products. Repair Kit 1 covers the most common emergency and maintenance cases. Kit 3 covers many different applications on board. The Repair Kits are suitable for all ships, where repairs and maintenance have to be done frequently.

Marine Emergency Repair Kit 1

Art.No: 10851001 ISSA-No: 75.540.00

Product	WEICON	ISSA	Quantity	Product	WEICON	ISSA	Quantity
WEICON A 0,5 kg 	10000005	7550901	2	Repair Stick Aqua 115 g	10531115	7553003	2
WEICON SF 0,5 kg 	10250005	7550913	2	Repair Stick Steel 115 g	10533115	7553001	2
WEICON UW 0,5 kg	10440005	7550924	2	Processing Kit	10851010	-	1



Marine Emergency Repair Kit 2

Art.No: 10851002 ISSA-No: 75.541.00

Product	WEICON	ISSA	Quantity	Product	WEICON	ISSA	Quantity
WEICON A 0,5 kg 	10000005	7550901	2	WEICON UW 0,5 kg	10440005	7550924	2
WEICON SF 0,5 kg 	10250005	7550913	2	Repair Stick Aqua 115 g	10531115	7553003	3
WEICON HB 300 1,0 kg	10450010	7550921	1	Repair Stick Steel 115 g	10533115	7553001	3
AN 302-43 50 ml	30243150	7562804	1	Cleaner Spray S 500 ml	11202500	5340201	2
AN 302-60 50 ml	30260150	7562832	1	W 44 T 400 ml	11251400	5340211	1
VA 8312 30 g	12200030	7562905	1	Rust Shock 400 ml	11151400	5340210	1
VM 120 30 g	12350030	-	1	Starter-Spray 400 ml	11660400	-	1
GMK 2410 700 g	16100700	-	1	Contact Spray 400 ml	11152400	5340228	1
Black-Seal 200 ml	13051200	7563425	1	Processing Kit	10851010	-	1



WEICON Marine Emergency Repair Kits

Marine Emergency Repair Kit 3

Art.No: 10851003 ISSA-No: 75.542.00

Product	WEICON	ISSA	Quantity	Product	WEICON	ISSA	Quantity
WEICON A 0,5 kg	10000005	7550901	2	Thread Sealing Cord DF 175	30010175	7562840	1
WEICON SF 0,5 kg	10250005	7550913	2	Plast-o-Seal 90 ml	30000090	7562841	1
WEICON BR 0,5 kg	10420005	7550905	1	VA 8312 30 g	12200030	7562905	1
WEICON WR 0,5 kg	10300005	7550915	1	VM 120 30 g	12350030	-	1
WEICON HB 300 1,0 kg	10450010	7550921	2	GMK 2410 700 g	16100700	-	2
WEICON Keramik BL 0,5 kg	10400005	7550919	1	Black-Seal 200 ml	13051200	7563425	2
WEICON UW 0,5 kg	10440005	7550924	2	Cleaner Spray S 500 ml	11202500	5340201	2
Repair Stick Aqua 115 g	10531115	7553003	4	Gasket Remover 400 ml	11202400	5340202	1
Repair Stick Steel 115 g	10533115	7553001	4	W 44 T 400 ml	11251400	5340211	2
Urethan 80 0,5 kg	10518005	7550942	1	Rust Shock 400 ml	11151400	5340210	2
AN 302-43 50 ml	30243150	7562804	1	Mould Release Agent 400 ml	11450400	-	1
AN 302-60 50 ml	30260150	7562832	1	Starter-Spray 400 ml	11660400	-	1
AN 305-77 50 ml	30577150	7562813	1	Contact Spray 400 ml	11152400	-	1
AN 306-38 50 ml	30638150	7562819	1	AS 500 500 g	26000050	-	2
				Processing Kit	10851010	-	2



Processing Kit

Art.No: 10851010


Includes:

Glass fibre cloth tape, Processing Spatula, Empty can, Gloves, Wire mesh, Tape (Butylband), Brush and Cutter

As a service for our customers, WEICON provides the Marine Emergency Repair Kits with all necessary dangerous goods declarations.



incl. transport documents (ATA, IMO, ADR)



WEICON Marine Emergency Repair Kit

- WEICON A** Pasty, steel-filled, certified by Germanischer Lloyd
- WEICON SF** Pasty, steel-filled, fast-curing, certified by Germanischer Lloyd
- WEICON BR** Pasty, bronze-filled
- WEICON WR** Liquid, steel-filled, wear resistant
- WEICON HB 300** Pasty, steel-filled, high temperature resistant
up to +200°C (+392°F) (briefly up to +280°C/+536°F)
- WEICON UW** Pasty, mineral-filled, hardens under water as well as on damp and wet surfaces
- WEICON Ceramic BL** Liquid, mineral-filled, extremely wear resistant, high temperature resistant
from -35°C to +180°C (-31°F to +356°F)

- VA 8312** **Cyanoacrylate Adhesive for rubber and plastics**
low viscosity, very fast-curing, ISEGA-certified
- VM 120** **Cyanoacrylate Adhesive for metals,**
medium viscosity, slower curing, a short-term realignment of parts is possible
- GMK 2410** GMK 2410 is an adhesive based on polychloroprene (CR) for the high-strength, full-surface and flexible bonding of **rubber to rubber** and **rubber to metal**.
- Anti-Seize assembly pastes** Anti-Seize protects against corrosion, seizure and wear, stick-slip phenomena, oxidation, fretting corrosion and electrolytic reactions („cold welding“).
- Black-Seal-Silicone** WEICON Black-Seal adhesive and sealant is high-temperature resistant (+280°C/+536°F), free of solvents, strong, oil-resistant, grease-resistant, pressure-resistant, resistant to ageing and extremely elastic.
- Urethane 80** Flexible Casting and Coating Resin with high impact strength and abrasion resistance
- WEICONLOCK®**
- AN 302-43** **Threadlocking DVGW and KTW approval for drinking water sector**
higher viscosity, medium strength, disassembly with normal tools
- AN 302-60** **Threadlocking for passive materials**
medium viscosity, high strength, hard to disassemble
- AN 305-77** **Thread sealing, DVGW and BAM approval for oxygen**
high viscosity, medium strength, disassembly with normal tools
- AN 306-38** **Retaining cylindrical assemblies for bearings, gear wheels and bolts, fast-curing,**
medium viscosity, high strength, hard to disassemble
- Thread Sealing Cord DF 175** **For metal and plastic threads**
- Plast-o-Seal®** **Permanently plastic universal sealant, solvent free with no unpleasant odour enables immediate assembly**
- Repair Stick Aqua** **For underwater applications, ceramic-filled, NSF approval**
- Repair Stick Steel** **Fast cure, steel-filled, NSF approval, can be used in drinking water areas**
- Technical Sprays**
- Mould Release Agent** **Silicone-free sliding and release agent**
- Starter Spray** **For all combustion engines**
- W 44 T® Multi-Spray** **Multifunctional oil with multiple effects**
- Rust Shock** **The „chemical wrench“**
- Cleaner Spray S** **Degreases and cleans all metals, glass, ceramics and most plastics**
- Gasket Remover** **Removes residues of hardened sealants and adhesives**
- Contact Spray** **Dispels moisture, prevents leakage current**



Any product specifications and recommendations given herein must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do warrant the continuously high quality of our products being free from defects in accordance with and subject to our General Sales Conditions. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.
BL/10901511/08/16/1

DANLUBE A/S

WEICON Kimya Sanayi Tic. Ltd. Şti.

Orhan Gazi Mahallesi 16. Yol Sokak No: 6
34517 Hadımköy-Esenyurt
İstanbul - Türkiye
Tel.: +90 (0) 212 465 33 65
info@weicon.com.tr

WEICON Inc.

20 Steckle Place - Unit 20
Kitchener - Ontario N2E 2C3 - Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Romania SRL

Str. Podului Nr. 1
547176 Budiu Mic (Targu Mures) - Romania
Tel. +40 (0) 3 65 730 763
office@weicon.com

WEICON SA (Pty) Ltd

Unit No. D1 - Enterprise Village
Capricorn Drive - Capricorn Park
Muizenberg 7945 (Cape Town) - South Africa
Tel.: +27 (0) 21 709 0088
info@weicon.co.za

WEICON South East Asia Pte Ltd

5 Soon Lee Street
Pioneer Point #03-56 - Singapore 627607
Tel. (+65) 6710 7671
info@weicon.com.sg

WEICON Czech Republic s.r.o.

Teplická 305
CZ-417 61 Teplice-Bystřany
Česká republika
Tel. +42 (0) 417 533 013
info@weiconcz.cz

"Så ved du det holder"
V } ^ Á Ú æ \ ç ^ b Å
Ö S Æ € H É Á } ^
V Å B É Á Í Á € Á Í Á € Á €
T æ Å Å } O å æ } à ^ Å Å
Y ^ å Å , , å æ } à ^ Å Å