




DANLUBE A/S

"Så ved du det holder"

WEICON Solutions for

Automotive and Transport



www.weicon.com/app



www.weicon.com

Partner of the ancillary industry

You can find further packing sizes and detailed information on WEICON products at www.weicon.com



Contact - Cyanoacrylate Adhesives

WEICON Contact are instant adhesives, free of solvents. They connect various materials with and among each other, e.g. metal, glass, wood, plastic, ceramic, leather and rubber.

VA 250 Black

- Cyanoacrylate Adhesive for special requirements
- bonding of various rubber materials
- high temperature resistant (+140°C) and with residual elasticity

30 g ✓

12600030



VA 8312

ISEGA

Certificate of Conformity as an adhesive in food technology.

- bonding of various rubber materials such as solid rubber or cellular rubber, plastics and EPDM elastomers
- very fast-curing

30 g ✓

12200030



WEICON Pen-System – new cap and tip

Cap

- rotatable
- safe and air tight
- locking haptically perceptible
- no risk of over-rotation
- plastic pin inside prevents adhesive from sticking to the tip



Tip

- convenient dosing
- already open, no need to cut off
- always same dosage
- ideal combination for our fine dosing tips type A and S
- dripping edge prevents that adhesive residues clogg the tip

No sticking!



WEICONLOCK® - Anaerobic Adhesives and Sealants

Especially made for economical threadlocking, retaining and sealing of threaded, cylindrical and pipe assemblies. After the curing, it provides a shock- and vibration-resistant joint with excellent resistance to chemicals and solvents from -60°C (-76°F) to +150°C (+302°F).



AN 305-73

- gasketing of flanges, gearboxes and other motor housings
- universal use

highly viscous • low strength
easy disassembly

50 ml ✓

30573150

AN 302-60

- threadlocking for passive surfaces
- application possible without activator

medium viscosity • high strength
hard to disassemble

50 ml ✓

30260150



AN 306-38

- retaining cylindrical assemblies for bearings, gear wheels and bolts
- fast-curing

medium viscosity • high strength
hard to disassemble

50 ml ✓

30638150

AN 302-43

TZW



- threadlocking
- KTW-drinking water and DVGW approval

higher viscosity • medium strength
disassembly with normal tools

50 ml ✓

30243150

AN 302-70



- locking of threads and stud bolts
- DVGW approval

medium viscosity • high strength
hard to disassemble

50 ml ✓

30270150



WEICON Solutions for Automotive and Transport

Plast-o-Seal®

- permanently plastic universal sealant
- evaporation is not necessary
- immediate assembly possible

90 g ✓
30000090
Tube

120 g ✓
30000120
Brush top can

230 g ✓
30000230
Press pack

300 g ✓
30000300
Cartridge



Elastic Adhesives and Sealants

Elastic adhesives and sealants are nowadays used in many areas of industrial production and assembly. They combine the advantages of adhesive bonding and sealing technology and are used wherever the elasticity and the sealing of a joint are the most important requirements.

Flex 310 M® Classic*

- free of isocyanate and solvents
- versatile
- free of silicone

310 ml ✓
13303310
white: RAL 9003**

310 ml ✓
13305310
grey: RAL 7000**

310 ml ✓
13304310
black: RAL 9004**



Flex 310 M® Crystal*

- crystal-clear curing
- good resistance to UV rays and excellent aging stability
- free of silicone

310 ml ✓
13308310



Flex 310 M® HT 200

- ideal for powder coating
- temperature resistant from -40°C to +200°C (-40°C to +392°F)

310 ml ✓
13655310
grey: RAL 7000**



** Corresponds approximately to the specified RAL colours

*** ISEGA**
Certificate of Conformity as an adhesive in food technology.

Multi-Flex

- for bonding almost all kinds of material
- extremely fast curing, strong adhesion, elastic
- universal use

25 ml ✓
13362025



Black-Seal Special Silicone

- extremely resistant against oil and grease
- high temperature resistant (+280°C/+536°F)
- for bonding and sealing

85 ml ✓
13051085
Tube

200 ml ✓
13051200
Press pack

310 ml ✓
13051310
Cartridge



You can find further packing sizes and detailed information on WEICON products at www.weicon.com



Epoxy Adhesives

WEICON Epoxy Adhesives are cold-curing, solvent-free two component systems with extremely strong adhesion. They allow material bonds with high traction and impact resistance and are therefore perfect for assembly, repair and production.

Fast-Metal Minute Adhesive

- highly filled
- fast-curing
- gap-filling

24 ml ✓
10551024



-50°C (-58°F)
to +145°C (+293°F)



Easy-Mix HT 180

- high-temperature resistant
- steady
- shock and impact resistant

50 ml ✓
10650850




-50°C (-58°F) to
+230°C (+446°F)



The ideal adhesive for
POWDER-COATING

Repair Sticks

The uncomplicated solution for all repair and maintenance work. Easy to use. Always the right portion, even for small repairs.



Repair of a roof box

Repair Stick Aluminium

- non-rusting
- fast cure
- aluminium-filled

115 g ✓
10534115



Repair Stick Titanium

- wear resistant
- titanium-filled
- high temperature resistant
(+280°C/+536°F)

115 g ✓
10535115



Repair Stick Plastic

- residual elasticity
- NSF approval
- can be used in drinking water areas

115 g ✓
10536115



WEICON Solutions for Automotive and Transport

Easy-Mix RK-7200 / Easy-Mix RK-7300

WEICON Easy-Mix RK-7200 and RK-7300 are fast curing, solvent free structure and construction adhesives based on MMA (methyl methacrylate). They can be used to bond many materials such as plastics, metals, wood or ceramics to themselves and among each other with high tensile, shear and peel strength.

Easy-Mix RK-7200 and RK-7300 are universally applicable and can be used, for example, in car body and vehicle construction, in mechanical engineering, in metal construction, in electrical engineering or in plastics technology.



Bonding of a nameplate

Easy-Mix RK-7200

- transparent
- highly viscous
- impact resistant

50 ml ✓
10564050



Easy-Mix RK-7300

- excellent adhesion on plastics and EPDM
- high strength, highly viscous, impact resistant

50 ml ✓
10569050



Easy-Mix Hand Dispenser D50


10653050



Quadro Mixing Nozzle

For all Easy-Mix types listed here

10650005



Easy-Mix PU-90 / Easy-Mix PU-240

High-strength, fast-hardening 2-component structural adhesives based on polyurethane with excellent adhesion on a broad range of materials. The high-viscosity formulation enables application even on vertical surfaces. The 2-component system also provides for fast and controlled curing. That makes the bonding process virtually independent of layer thickness, humidity and ambient temperature.



Bonding of a fixing element

Easy-Mix PU-90

- high strength and highly viscous
- can be sanded and painted over after approx. 10 minutes
- pot life approx. 90 seconds

50 ml ✓
10751050

Easy-Mix PU-240

- high strength and highly viscous
- can be sanded and painted over after approx. 30 minutes
- pot life approx. 240 seconds

50 ml ✓
10753050



You can find further packing sizes and detailed information on WEICON products at www.weicon.com



Technical Sprays and Technical Liquids

Technical sprays and liquid substances are used in almost all areas of industry.

They are used for the care and protection of surfaces, for cleaning and degreasing, lubricating, releasing and separating and are an indispensable part of daily work.

Zinc Spray

- durable cathodic corrosion protection on all metal surfaces
- resistant protective layer even under extreme weather and environmental conditions

400 ml ✓
11000400



Loosening of a screw connection



Touching up a welding seam

Zinc Spray bright grade

- coating of welded joints and drilled holes
- long-term corrosion protection
- with a bright colour shade matched to hot galvanization

400 ml ✓
11001400

Rust Shock

- the chemical wrench
- free of mineral oil, grease and silicone
- loosens threaded joints within a very short time

400 ml ✓
11151400

Spray-on Grease white

- multipurpose spray grease for highly stressed parts
- outstanding adhering strength and excellent aging and pressure resistance
- temperature stability from -20°C (-4°F) to +150°C (+302°F)

400 ml ✓
11520400

Aluminium-Spray A-100

- abrasion-proof
- protects against rust and corrosion
- high-grade corrosion protection for all metal surfaces

400 ml ✓
11050400

Rust Loosener and Contact Spray

- the six-fold function makes it indispensable for repairs, maintenance and servicing
- work is possible even overhead
- protects against corrosion and oxidation

400 ml ✓ 5 L ✓
11150400 15150005

Universal Spray-on Grease with MoS₂

- high pressure resistant and strong long-term lubricant
- reduces friction and wear
- temperature resistant from -20 (-4°F) to +120°C (+248°F)

400 ml ✓
11530400

Corro-Protection

- corrosion protection of metal parts for indoor storages
- lastingly preserves tools and precision components made of metal
- transparent protective film approved by the German TÜV

400 ml ✓ 5 L ✓
11550400 15550005



WEICON Solutions for Automotive and Transport

Technical Sprays and Technical Liquids

Multi Foam

- powerful universal cleaner for residue-free cleaning
- cleans the most diverse types of surfaces such as metal, plastic, glass, ceramics or lacquered and coated surfaces

400 ml ✓
11200400

Cockpit Spray

- care product for all plastic and rubber parts in motor vehicle interiors
- prevents door, window and boot seals from freezing

400 ml ✓
11400400

Citrus Cleaner

- universal cleaner based on citrus peel extracts
- cleans machines and systems, precision engineering components and precision mechanisms

400 ml ✓
11217400

5 L ✓
15210005



Sealant and Adhesive Remover

- removes residues of hardened sealants and adhesives as well as lacquers and paints
- can be used on metal, wood, glass, ceramics, polyethylene and polypropylene

400 ml ✓
11202400

5 L ✓
15213005

Workshop Cleaner

- cleans and degreases metals, plastics, rubber, glass, ceramics and wood
- biodegradable according to the EU guidelines

500 ml ✓
15205500

5 L ✓
15205005

10 L ✓
15205010

30 L ✓
15205030

Surface Cleaner

- for pre-treatment of bonding surfaces
- for cleaning and degreasing of surfaces
- evaporates without residues and colourless

400 ml ✓
11207400

5 L ✓
15207005

AT-44 Allround Spray

- with PTFE – without silicone
- loosens seized screw connections, bolts, fittings and valves
- dispels moisture from electrical cables

150 ml ✓
11250150

400 ml ✓
11250400

5 L ✓
15250005

W 44 T® Multi-Spray

- lubricates precision mechanics
- dispels moisture
- corrosion protection

500 ml ✓
11251550

5 L ✓
15251005



**Double
Nozzle**





Technical Sprays

Contact Spray

- protection and care of electrical contacts and components
- keeps contacts, fuses and cable connections free of oxidation

400 ml ✓
11152400



Hand Protective Foam

- waterproof and provides lasting protection
- protects against hazardous substances and irritants from aggressive chemical substances
- greaseless, invisible and waterproof

200 ml ✓
11850200



Starter Spray

- for both diesel and petrol engines
- for the easy and safe starting of combustion engines
- protects both the engine and the battery

400 ml ✓
11660400



Adhesive Spray – extra strong –

- for strong and reliable adhesions
- for rough and uneven surfaces
- the special valve allows the adhesive quantities to be adjusted with infinite variability

500 ml ✓
11801500



Crack Testing Agent

Cleaner, Penetrant and Developer for the non-destructive material testing by way of colour penetration process



Cleaner / Remover

Material-neutral special cleaner for the colour penetration test. Suitable for metals, many plastics, ceramic materials, glass etc. The suitability for plastic has to be tested in advance.

500 ml ✓
11692500

Penetrant

Red diffusion agent with excellent penetration characteristics for the non-destructive material testing - washes off with solvent. Suitable for metals, many plastics, ceramic materials, glass etc. The suitability for plastic has to be tested in advance.

500 ml ✓
11690500

Developer

Colourfast special developer on solvent basis for colour penetration tests. Suitable for metals, many plastics, ceramic materials, glass etc. The suitability for plastic has to be tested in advance.

500 ml ✓
11691500



Standards and regulations
Sample-tested according to DIN EN ISO 3452-2. Low sulphur and halogen content, according to DIN EN ISO 3452-2 and ASME-Code, Section V, Article 6. AREVA NP TLV 9017.

WEICON Solutions for Automotive and Transport

Anti-Seize - Assembly Pastes

All kinds of influencing factors, e.g. moisture, temperature or friction, repeatedly lead to corrosion damage, seizure and wear on machines and installations.

Extensive repair and maintenance work at considerable costs are the consequence.

Especially under extreme conditions of application, e.g.

- high operation temperatures
 - high pressure loads
 - outdoor weather conditions
- such consequences frequently occur.

Anti-Seize

- long-lasting protection against corrosion, seizure and wear
- high temperature resistant up to $+1.200^{\circ}\text{C}$ ($+2192^{\circ}\text{F}$)
- exceptionally good separating effect

200 ml ✓
26000200
Press pack

400 ml ✓
27000400
Spray



Anti-Seize High-Tech

- white metal-free (under 0,1%)
- NSF-tested
- high temperature resistant up to $+1.400^{\circ}\text{C}$ ($+2552^{\circ}\text{F}$)

450 g ✓
26100045
Can

400 ml ✓
27050400
Spray



Certificate of Conformity for direct use with food in accordance with Spray Spray USDA H1



Copper Paste

- Protecting, separating and lubricating agent for highly stressed parts in high-temperature applications

200 ml ✓
26200200
Press pack

500 g ✓
26200050
Brush top can





No. 1 in Form & Funktion


Our tools have been developed for accurate, fast and safe stripping of all common cable types. They carry the GS seal of TÜV Nord and were developed under the aspects of work safety.



Wire Stripper No. 5

- for finely stranded and solid conductors with PVC insulation
- for all common conductors from 0,2 – 6 mm² (24 – 10 AWG)

mm	g	mm ²	Ømm	Art.-No.
170	107	0,2 - 6 (24 - 10 AWG)	-	51000005



Stripping of a cable in the engine compartment



Wire Stripper No. 7 Magic

- for finely stranded and solid conductors with PVC insulation
- for all common round cables from 0,5 – 16 mm² (20 – 6 AWG flexible) (20 – 8 AWG massive)

mm	g	Round cables	mm ²	Art.-No.
170	217	Flexible Solid	0,5 - 16 (20 - 6 AWG) 0,5 - 10 (20 - 8 AWG)	51000007

Multi-Opener

The ideal tool for the gently opening of sensitive equipment and dismantling of clipped housings

- no scratching of sensitive surfaces
- conductive ESD material protects against electrostatic discharge
- flexible fibreglass-reinforced polyamide



mm	g	Surface Resistance	Art.-No.
180	22	approx. 10 ⁹ Ω	52800000



Multi-Stripper No. 400

- for finely stranded and solid conductors with PVC insulation
- 0,5 – 6 mm² (20 – 10 AWG)

51000400



mm	g	mm ²	Ømm	Art.-No.
155	79	0,5 - 6 (20 - 10 AWG)	8 - 13	51000400

WEICON Solutions for Automotive and Transport

Quadro-Stripper No. 16

- multifunctional with optimized cable routing
- circular and longitudinal cutting - stripping - cutting
- exchangeable hook blade, firmly locked in any position
- anti-slip handle shape



mm	g	mm ²	Ømm	Art.-No.
125	53	0,5 - 6 (20 - 10 AWG)	8 - 13	52000016



Duo-Crimp No. 300

- insulation removal from 0.5 mm² to 6.0 mm²
- two crimping ranges are offered (0.5 - 2.5 mm² and 4.0 - 6.0 mm²) according to DIN 46228-2
- integrated, well accessible side cutter up to 6 mm²



mm	g	mm ²	Ømm	Art.-No.
160	116	0,5 - 6 (20 - 10 AWG)	-	51000300



Cable Scissors No. 35

- cutting - stripping - crimping
- 2-component handles for increased safety
- high cutting performance
- blades made of special stainless steel



Cu/Al
Ø < 35 mm²

Cu/Al
Ø < 50 mm²



Including
safetybox with
belt clip



mm	g	mm ²	Ømm	Art.-No.
150	90	-	-	52000035

Crimp-Set Pro

Allround equipment for
crimping with wire ends

- Duo-Crimp No. 300
- Wire Stripper No. 7 Magic
- High quality shaker with 400 wire ends (0.5 - 2.5 mm²) according to DIN 46228



mm	g	Art.-No.
Length x Width x Height 340 x 280 x 55	950	52880002

WEICON GmbH & Co. KG (Headquarters)

Königsberger Str. 255 · DE-48157 Münster
P.O. Box 84 60 · DE-48045 Münster
Germany

phone +49 (0) 251 9322 0
info@weicon.de

WEICON Middle East L.L.C.

Jebel Ali Ind Area 3
P.O. Box 118 216 · Dubai
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Inc.

20 Steckle Place · Unit 20
Kitchener · Ontario N2E 2C3 · Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.

Orhan Gazi Mahallesi 16. Yol Sokak No: 6
34517 Hadimköy-Esenyurt · Istanbul
Turkey
phone +90 (0) 212 465 33 65
info@weicon.com.tr

WEICON Romania SRL

Str. Podului Nr. 1
547176 Budui Mic (Targu Mures) · Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON SA (Pty) Ltd

Unit No. D1 · Enterprise Village
Capricorn Drive · Capricorn Park
Muizenberg 7945 (Cape Town) · South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON South East Asia Pte Ltd

5 Soon Lee Street
Pioneer Point #03-56 · Singapore 627607
phone (+65) 6710 7671
info@weicon.com.sg

WEICON Czech Republic s.r.o.

Teplická 305
CZ-417 61 Teplice-Bystřany
Česká republika
phone +42 (0) 417 533 013
info@weiconcz.cz

WEICON Ibérica S.L.

Av. de Somosierra 18, Nave 6
San Sebastián de los Reyes
28703 Madrid
phone +34 (0) 914 7997 34
info@weicon.es

weicon.com



WEICON Solutions for
**Automotive and
Transport**

Art.-No. 10901702

DANLUBE A/S

"Så ved du det holder"

V } ^ Á Ú æ | ç ^ ð
Ö Š Ę Ħ Á ~ } ^
V ^ | Æ Á í Ä Ç Ğ Ą Ğ Å €
T æ Ħ | O å æ | à ^ Æ |
Y ^ à Ħ , , Æ æ | à ^ Æ |